

Ristkihtliimpuidu standardpaksused

Seinapaneelid

Plaadi paksus mm	Kihtide arv	Lamellide asetus								
		V	H	V	H	V	H	V	H	V
60	3	20	20	20						
80	3	20	40	20						
90	3	30	30	30						
100	3	30	40	30						
120	3	40	40	40						
100	5	20	20	20	20	20				
120	5	20	30	20	30	20				
140	5	40	20	20	20	40				
150	5	30	30	30	30	30				
160	5	40	20	40	20	40				
180	5	40	30	40	30	40				
200	5	40	40	40	40	40				
240	7	30	40	30	40	30	40		30	
260	7	30	40	40	40	40	40		30	
280	7	40	40	40	40	40	40		40	

V - lamellid vertikaalselt, H - lamellid horisontaalselt

Vahelae- ja katusepaneelid

Plaadi paksus mm	Kihte arv	Lamellide asetus								
		H	V	H	V	H	V	H	V	H
60	3	20	20	20						
80	3	30	20	30						
90	3	30	30	30						
100	3	30	40	30						
120	3	40	40	40						
100	5	20	20	20	20	20				
120	5	30	20	20	20	30				
140	5	40	20	20	20	40				
150	5	30	30	30	30	30				
160	5	40	20	40	20	40				
180	5	40	30	40	30	40				
200	5	40	40	40	40	40				
210	7	30	30	30	30	30	30		30	
220	7	30	30	30	40	30	30		30	
240	7	30	40	30	40	30	40		30	
260	7	30	40	40	40	40	40		30	
280	7	40	40	40	40	40	40		40	

H - lamellid horisontaalselt, V - lamellid vertikaalselt